

01241.000016



CofC
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

KOICHIRO MIYAKE, ET AL.

Application No.: 09/673,198

Filed: October 12, 2000

For: A PROCESS FOR PRODUCING
ISOPRENOID COMPOUNDS BY
MICROORGANISMS AND A
METHOD FOR SCREENING
COMPOUNDS WITH
ANTIBIOTIC OR WEEDING
ACTIVITY

U.S. Patent No.: 6,806,076 *B1*

Issued: October 19, 2004

Examiner: Tekchand Saidha

Group Art Unit: 1652

**Certificate
JAN 27 2005
of Correction**

December 22, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

JAN 31 2005

Patentee undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Lawrence S. Perry
Attorney for Patentee
Registration No. 31,865

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

LSP\ac

NY_MAIN 472074v1

JAN 3 1 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,806,076 B1
DATED : October 19, 2004
INVENTOR(S) : Koichiro Miyake, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE (75) INVENTORS:

Line 7, "Chiga" should read --Chiba--

COLUMN 89

Line 59, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 90

Line 58, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 91

Line 3, "SEQ ID NO:30" should read --SEQ ID NO:30--

Line 10, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 20, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 21, "C." should read --C--

Line 22, "C." should read --C--

COLUMN 92

Line 2, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 3, "C." should read --C--

Line 5, "C." should read --C--

Line 18, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 19, "C." should read --C--

Line 20, "C." should read --C--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

(Form#30)

PATENT NO. 6,806,076

No. of add'l. copies
@ 30¢ per page



JAN 31 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!
PRINTER'S TRIM LINE

PATENT NO. : 6,806,076 B1

DATED : October 19, 2004

INVENTOR(S) : Koichiro Miyake, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE (75) INVENTORS:

Line 7, "Chiga" should read --Chiba--

COLUMN 89

Line 59, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 90

Line 58, "SEQ ID NO:30" should read --SEQ ID NO:30--

COLUMN 91

Line 3, "SEQ ID NO:30" should read --SEQ ID NO:30--

Line 10, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 20, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 21, "C.," should read --C,--

Line 22, "C." should read --C--

COLUMN 92

Line 2, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 3, "C.," should read --C,--

Line 5, "C." should read --C--

Line 18, "SEQ ID NO:31" should read --SEQ ID NO:31--

Line 19, "C.," should read --C,--

Line 20, "C." should read --C--

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

(Form#30)

PATENT NO. 6,806,076

No. of add'l. copies
@ 30¢ per page



JAN 31 2005